

# LIMEA GIGANT PRO

SLI028252NW\_PW

See  
more

Hermetic luminaire LIMEA GIGANT PRO, with a power of 27/37/47/58 W, high light efficacy 155 lm/W. It is made of high-quality components, supported by a 5-year warranty. It has a very high degree of protection IP66, providing protection against the ingress of dust and water jets. IK10 class provides impact resistance. It shines with light of neutral - the most universal colour (4000K). Suitable for both surface and suspended mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.



Power	<b>27/37/47/58 W</b>	Voltage	<b>230 V</b>
Luminous flux*	<b>9000 lm (360°)</b>	Colour temperature	<b>4000 K</b>
Colour of light	<b>Neutral white</b>	Beam angle	<b>120 °</b>
IK	<b>10</b>	Degree of protection (IP)	<b>IP66</b>

## Technical data


---

Code	SLI028252NW_PW
Power	27/37/47/58 W
Nominal current	255 mA
Voltage	230 V
Energy consumption	58 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power supply included	+
Power factor	0.9
Useful luminous flux*	9000 lm (360°)
Luminous flux**	4200-8700 lm (360°)
Lamp efficacy	155 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	120 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	50000 h
Housing material	POLYCARBONATE
IK	10
Degree of protection (IP)	IP66
Colour	Gray/White
Dimension (AxBxC)	1500x80x68 mm
For use	Inside/Outside
Assembly method	On the ceiling, Suspended
Application	INT/EXT
Made in	PRC
Other	MAX 16 pcs per line ,


## Related documents

---



 User manual



 Declaration of Conformity



 Photometric file

